




PIPES & PIPES PVT. LTD.

Tonnes of Experience Behind Each Kg.®

Quality Pipes at Delight Price, On Time, Every Time®



SINCE 1950'S



Manufacturers of Large-Diameter LSAW Pipes
Carbon Steel | Alloy Steel | Stainless Steel
In-House Heat Treatment & Coating Services

www.lalitgroup.com

www.lalitpipesandpipes.com



Lalit Pipes & Pipes Pvt. Ltd. is a dynamic company specializing in the production and distribution of high-quality pipes and related industrial products.

With 30+ years of experience, they are a leader in manufacturing high-quality LSAW pipes. Our commitment to quality and innovation ensures durable and reliable solutions for various industries.



3600 MT JCO



1000 MT JCO



4 MTR 3 ROLL MACHINE - 200 MM



3 MTR 3 ROLL MACHINE - 110 MM

Why Choose Lalit?

- 1. Leading LSAW Pipe manufacturer** in India since over 30+ years
- 2. Strict quality control & certifications** ISO 9001, 14001, 45001, API 5L, 2B certifications
- 3. "WELL KNOWN PIPE MAKERS"** by Central Boilers Board (IBR)
- 4. BIS Approved**
- 5. In-house Heat Treatment** services for Stress Relieving, Normalizing, Tempering, Solution Annealing and more.
- 6. Coating** – 3 LPE and Epoxy coating
- 7. Supplied over 2400+ kms** for niches and critical applications in India

Sectors

- Oil & Gas
- Power Generation
- Process Piping Industry
- Marine Offshore
- Infrastructure

Product Range: Carbon Steel & Alloy Steel

Outside Diameter	16" to 160" (406.4 mm to 4064 mm)
Wall Thickness	6 mm upto 200 mm
Length	Single / Double Random Length of upto 12 meters



Rolling upto 4 Mtrs length without joint upto 200 mm thickness

Suitable for:

ASTM-A 691- Gr. 1.25 Cr, 2.25 Cr, 5 Cr, 9 Cr. Class 11-43.
 ASTM-A 671 - Gr. CB60/CC60/CB65/CC65/ CB70/ CC70/ C60/C65/C70 Class 11-43.
 ASTM-A 672 - Gr. B60/B65/B70/C60/C65/C70 Class 11-43.
 API 2B Tubulars. | API - 5L PSL 1/ PSL 2 upto Gr X65 & X 70. | IS 3589 Gr 330 / 410.

Product Range: Stainless Steel Pipes

Outside Diameter:	10" to 48" (273 mm to 1219 mm)
Wall Thickness:	3 mm upto 32 mm
Length:	8 meters



Suitable for:

ASTM A358 -Class 1 to 5 | ASTM A409 | ASTM A778 | ASTM A790 | ASTM A928 - Class 1 to 5
 MOC – 304, 304L, 310S, 316, 316L, 317, 317L, 321, 347


Coating: 3 LPE / Epoxy Coated Pipes.
Heat Treatment: Stress Relieving, Normalizing, Tempering, Solution Annealing etc.
Available for both the product ranges

Certifications



American Petroleum Institute

www.lalitpipesandpipes.com



 **Lalit**[®]

PIPES & PIPES PVT. LTD.

Corporate Office:

212, Hermes Atrium, Sector-11, C.B.D. Belapur,
Navi Mumbai, Maharashtra. India – 400 614

T: +91 +91 22 2756 1169

E: info@lalitgroup.com **W:** www.lalitgroup.com